



# TEXTURE SPRAYERS

GRACO'S COMPLETE LINE OF PROFESSIONAL TEXTURE SPRAYERS

**AUSTRALIA & NEW ZEALAND**



**PROVEN QUALITY. LEADING TECHNOLOGY.**

# THE MOST COMPLETE AND HIGHEST PERFORMING TEXTURE SPRAYER LINE

Experienced contractors know the difference. Graco professional texture sprayers are recognised as solid investments that perform reliably, year after year. Regardless of your texture application —decorative or smooth finishes, exterior or interior—Graco has a complete solution for you.

## TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality texture airless sprayers available, backed by the industry's best warranty.

## AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco professional texture sprayers are designed, manufactured and assembled in the USA with global components.

## INDUSTRY-LEADING WARRANTY

Behind every Graco is Graco's warranty. You may never use Graco's warranty—but if you do, we will be there.



## GRACO SOLUTIONS THAT WILL KEEP YOU SPRAYING



PATENT PENDING

### DURABLE PUMPS BUILT

- Long Vortex™ rotating piston rod
- 6X more litres sprayed between repacks
- Extends pump rod life by 3X —delivering low cost of ownership



PATENT PENDING

### STREAMLINE YOUR BUSINESS WITH BLUELINK™ SYSTEM

- Track every sprayer — exact location and hourly productivity
- Know job progress — ensure you're on time with needed materials
- Maximise uptime—set maintenance schedules, alerts and jobsite notes

### MAXFlo™ 2

PATENT PENDING

### TRUE PROTECTION

- Self-cleaning Vibra-Seal™ Technology provides more productivity
- Optimised fluid passageways for the heaviest coatings



PATENTED

### THE EASIEST MAINTENANCE

- ProConnect™ 2 — swap your pump in minutes with no tools
- Eliminates costly jobsite downtime
- QuikPak™ — repack your pump in minutes



## RotoFlex™

GRACO EXCLUSIVE

### INNOVATIVE ONE-PIECE PUMP

- Flow-through design delivers smooth material flow
- Unmatched durability and lowest cost of ownership
- Exclusive FlexChange™ no-tools pump replacement system



GRACO EXCLUSIVE

### SMARTSTART™ SYSTEM

- Automatically start and stop the pump and compressor
- Soft-start eliminates material blasts to ensure a quality finish
- Reduces noise and vibration while extending pump and compressor life

## WideTex™

PATENT PENDING

### WIDETEX™

- Delivers wide fan-spray pattern to finish faster
- Delivers the most consistent pattern
- Eliminates fatigue associated with circular gun movement

## PressureBoost

GRACO EXCLUSIVE


### PRESSURE BOOST TECHNOLOGY

- Exclusive pressurised hopper gun design
- 6X faster than traditional hopper guns
- The power of a large spray rig in the palm of your hand

# GET THE INTERIOR AND EXTERIOR FINISH YOU WANT






With the widest selection of texture sprayers to choose from and a host of performance enhancing accessories, there is a Graco texture sprayer to help you complete your projects—no matter what finish you desire.

## INTERIOR TEXTURE

|                                |   |    |    |    |
|--------------------------------|--|---|---|---|
|                                | <b>SIMULATED ACOUSTIC (POPCORN)</b>  | <b>ORANGE PEEL, FINE SPLATTER</b>   | <b>SPLATTER</b>   | <b>KNOCKDOWN</b>  |
| <b>COMMONLY USED MATERIALS</b> | Ceiling Spray Textures<br>Containing Polystyrene or<br>Vermiculite Aggregate<br>(Fine, Medium, Coarse)   | All-Purpose Joint Compounds<br>Lightweight Joint Compounds<br>Wall and Ceiling Spray Textures   | All-Purpose Joint Compounds<br>Lightweight Joint Compounds<br>Wall and Ceiling Spray Textures   | All-Purpose Joint Compounds<br>Lightweight Joint Compounds<br>Wall and Ceiling Spray Textures   |
| <b>SPRAYER RECOMMENDATIONS</b> | Gravity-Fed Hopper Gun<br>FastFinish™ Hopper Gun<br>GTX 2000 <sup>EX</sup><br>HTX™ 2030<br>T-MAX 6912<br>APX 8200  | Gravity-Fed Hopper Gun<br>FastFinish Hopper Gun<br>GTX 2000 <sup>EX</sup><br>T-MAX 6912™<br>Mark V™ HD<br>GMAX® II 5900 HD*<br>GMAX II 7900 HD*<br>HTX 2030<br>DutyMax GH 230 HD*<br>DutyMax GH 300 HD*<br>APX 8200   | Gravity-Fed Hopper Gun<br>FastFinish Hopper Gun<br>GTX 2000 <sup>EX</sup><br>T-MAX 6912™<br>Mark V™ HD<br>GMAX II 5900 HD*<br>GMAX II 7900 HD*<br>HTX 2030<br>DutyMax GH 230 HD*<br>DutyMax GH 300 HD*<br>APX 8200  | Gravity-Fed Hopper Gun<br>FastFinish Hopper Gun<br>GTX 2000 <sup>EX</sup><br>T-MAX 6912™<br>Mark V™ HD<br>GMAX II 5900 HD*<br>GMAX II 7900 HD*<br>HTX 2030<br>DutyMax GH 230 HD*<br>DutyMax GH 300 HD*<br>APX 8200  |
| <b>TEXTURE ACCESSORIES</b>     | <b>WIDETEX KIT</b> – 24S142<br>(RTX 1500, GTX 2000 <sup>EX</sup> )<br><b>SIPHON KIT</b> – 248112<br>(GTX 2000 <sup>EX</sup> )<br><b>AIR LINE KIT</b> – 248117<br>(GTX 2000 <sup>EX</sup> ) | <b>WIDETEX KIT</b> – 24S142<br>(RTX 1500, GTX 2000 <sup>EX</sup> )<br><b>SIPHON KIT</b> – 248112<br>(GTX 2000 <sup>EX</sup> )<br><b>AIR LINE KIT</b> – 248117<br>(GTX 2000 <sup>EX</sup> )<br><b>AIR ATOMISER KIT</b> – 244223<br>(All Mark HD, GMAX II HD, DutyMax HD)<br><b>95 L. HOPPER</b> – 287987<br>(All Mark HD, Gmax II HD, DutyMax HD, HTX 2030)<br><b>200 L. SIPHON SET</b> – 289669<br>(Mark X HD, Gmax II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD) | <b>WIDETEX KIT</b> – 24S142<br>(RTX 1500, GTX 2000 <sup>EX</sup> )<br><b>SIPHON KIT</b> – 248112<br>(GTX 2000 <sup>EX</sup> )<br><b>AIR LINE KIT</b> – 248117<br>(GTX 2000 <sup>EX</sup> )<br><b>AIR ATOMISER KIT</b> – 244223<br>(All Mark HD, GMAX II HD, DutyMax HD)<br><b>95 L. HOPPER</b> – 287987<br>(All Mark HD, Gmax II HD, DutyMax HD, HTX 2030)<br><b>200 L. SIPHON SET</b> – 289669<br>(Mark X HD, Gmax II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD) | <b>AIR ATOMISER KIT</b> – 244223<br>(All Mark HD, GMAX II HD, DutyMax HD)<br><b>95 L. HOPPER</b> – 287987<br>(All Mark HD, Gmax II HD, DutyMax HD, HTX 2030)<br><b>200 L. SIPHON SET</b> – 289669<br>(Mark X HD, Gmax II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD) |



## EXTERIOR TEXTURE

|  |   |  |  |  |
|--|---|--|--|--|
|                                      |    |   |    |   |
| <b>DOWN</b>  | <b>SMOOTH, LEVEL 5, AND SKIM COAT</b>   | <b>TEXTURED ACRYLICS AND ELASTOMERICS</b>  | <b>EIFS AND SYNTHETIC STUCCO FINISH COATS</b>  | <b>DECK COATINGS</b>   |
| Joint Compounds<br>Joint Compounds<br>Spray Textures   | All-Purpose Joint Compounds<br>Lightweight Joint Compounds<br>Wall and Ceiling Spray Textures<br>Skim Coat Materials<br>Wall Surfacing Materials  | Textured Acrylic Materials<br>Textured Elastomeric Materials   | Textured Acrylic Materials<br>Used as the Final Coat in a<br>Multilayered Wall System  | Decorative and Anti-skid<br>Deck Coatings  |
| er Gun<br>er Gun<br>2000Ex<br>K 6912"<br>V* HD<br>00 HD*<br>00 HD*<br>X 2030<br>30 HD*<br>00 HD*<br>X 8200         | Mark V* HD<br>GMAX II 5900 HD<br>GMAX II 7900 HD<br>HTX 2030<br>DutyMax GH 230 HD*<br>DutyMax GH 300 HD*<br>T-MAX 6912"<br>APX 8200   | Gravity-Fed Hopper Gun<br>FastFinish Hopper Gun<br>RTX 5500Px<br>Use with aggregates up to 3 mm<br>GTX 2000Ex<br>Use with aggregates up to 2 mm<br>HTX 2030<br>Use with aggregates up to 2.0 mm<br>T-MAX 6912"<br>Use with aggregates up to 2.0 mm | Gravity-Fed Hopper Gun<br>FastFinish Hopper Gun<br>RTX 5500Px<br>Use with aggregates up to 3 mm<br>GTX 2000Ex<br>Use with aggregates up to 2 mm<br>HTX 2030<br>Use with aggregates up to 2.0 mm<br>T-MAX 6912"<br>Use with aggregates up to 2.0 mm | Gravity-Fed Hopper Gun<br>FastFinish Hopper Gun<br>RTX 5500Px<br>Use with aggregates up to 3 mm<br>T-MAX 6912"<br>Use with aggregates up to 2.0 mm |
| IT – 244223<br>(D, DutyMax HD))<br>87987<br>V, DutyMax HD, HTX 2030)<br>SET – 289669<br>(0 HD, DutyMax GH 230<br>) | <b>45 L. HOPPER</b> – 287987<br>(All Mark HD, Gmax II HD,<br>DutyMax HD, HTX 2030)<br><b>200 L. SIPHON SET</b> – 289669<br>(Mark X HD, Gmax II 7900 HD, DutyMax GH<br>230 HD, DutyMax GH 300 HD )<br><b>HIGH PRESSURE PUMP KIT</b><br>– 24B140 (HTX 2030) | <b>HARDENED WIDETEX KIT</b> – 24S143<br>(RTX 1500, GTX 2000ex)<br><b>EXTERNAL AIR KIT</b> – 287328<br>(RTX 5500Px)   | <b>HARDENED WIDETEX KIT</b> – 24S143<br>(RTX 1500, GTX 2000ex)<br><b>EXTERNAL AIR KIT</b> – 287328<br>(RTX 5500Px)   | <b>HARDENED WIDETEX KIT</b> – 24S143<br>(RTX 1500, GTX 2000ex)<br><b>EXTERNAL AIR KIT</b> – 287328<br>(RTX 5500Px)                                 |

\*User-supplied air compressor and Air Atomiser Kit (Part # 244223) required for this application.

\*\* Requires user supplied air compressor. Minimum 20 SCFM recommended

# FINISH SMALL TEXTURE JOBS UP TO 6X FASTER

## THE POWER OF A LARGE SPRAY RIG IN THE PALM OF YOUR HAND

Innovative system uses air to boost performance and deliver a superior spray finish.

**HOLD 20 LBS OVER YOUR HEAD FOR ONE HOUR —OR JUST 10 MINUTES?**



**Gravity-Fed  
Hopper Gun  
1 HOUR**

**VS**

**FastFinish Texture  
Spray System  
10 MIN**

**UP TO  
6X  
FASTER!**



### HOW IT WORKS

- 1) Air enters gun
- 2) Adjustable Flow Control sends air to hopper
- 3) Air pushes down on material
- 4) Pressurised material and air mix, creating a texture finish

# TEXSPRAY FASTFINISH SPRAY SYSTEM

Small and portable, FastFinish maximises material and air flow—making it the ideal solution for smaller texture jobs.

## TEXSPRAY FASTFINISH PRO TEXTURE SPRAY SYSTEM INCLUDES:



### FASTFINISH CF9 AIR COMPRESSOR

Powerful 9 cfm @ 40 psi  
(Maximum pressure 60 psi)

- Better atomization and projection

Heavy-Duty 2 HP AC Motor

- 230V, 10 amp

Piston-Powered Tankless Design

- 4X larger passageways deliver 30% more airflow
- Always ready to spray: no draining or maintenance

Light and Portable Cart Design

- One-person loading



### FASTFINISH PRESSURE-BOOSTED HOPPER GUN

4mm, 6mm, 8mm Nozzles

WideTex Fan Spray Kit

Sealed Hopper to keep material fresh

- Spray overhead and in tight spaces without spills

### 9.5 MM X 15 M PREMIUM NON-MARKING AIR HOSE

### SPRAYS ALL FINISHES

- Acoustics
- Joint compound
- Knockdown
- Splatter
- Orange peel
- Fine concrete overlays
- Deck coatings
- Fireproofing
- Waterproofing
- Deck coatings
- Much more



| TEXSPRAY FASTFINISH                      | PART # | INCLUDES  |
|--|--------|---|
| FastFinish Pro Texture Spray System      | 25D493 | FastFinish Pressure-Boosted Gun, CF9 Compressor, 3/8 in x 15 m Air Hose |
| FastFinish Standard Texture Spray System | 25D495 | G-TEX Gravity-Feed Gun, CF9 Compressor, 3/8 in x 15 m Air Hose          |
| FastFinish CF9 Air Compressor            | 25D491 | CF9 Air Compressor Only   |
| FastFinish Pressure-Boosted Hopper Gun   | 25D496 | FastFinish Pressure-Boosted Gun, 5.5 L Hopper, 3 Nozzles, WideTex       |
| G-TEX Gravity-Feed Hopper Gun            | 25D497 | G-TEX Gravity-Feed Gun, 7.5 L Hopper, 3 Nozzles                         |

# TEXSPRAY GTX 2000

## HIGH-PERFORMANCE SOLUTIONS FOR HEAVY-DUTY JOBS

A highly portable texture system for both smooth materials and those with fine aggregates, the GTX 2000EX is the ideal solution for drywall muds, deck coatings, and exterior aggregate acrylic and elastomeric finishes.

High-Performance Solutions for Heavy-Duty Jobs. Powered by your external air compressor, this air-powered texture solution gets the job done fast — whether coating a large interior surface or applying an exterior aggregate finish on a large commercial job.



### HUSKY 1040 DOUBLE DIAPHRAGM PUMP

- Jobsite Proven Performance
- Texture delivery rates to 15 lpm from durable, high-output 1-inch pump
- Durable, User-Friendly Spraying

### AIR SPRAY HEAVY-DUTY TRIGGER GUN

- Durable, User-Friendly Spraying
- Pump heavy mud mixes and larger aggregate with over-sized fluid passages
- Quick nozzle changes with extra-coarse gun head threads

### LARGEST 64 LITRE CAPACITY HOPPER

- Longer Spray Time
- Easy cleanup and removal with no-tool

### SEPARATE PUMP/GUN AIR CONTROLS

- Complete Control
- Produce precise, consistent and repeatable texture finishes

|                   |        |
|-------------------|--------|
| TEXSPRAY GTX 2000 | PART # |
| TexSpray GTX 2000 | 257030 |

# RTX PRO EXTERIOR SERIES

## TACKLE EXTERIOR JOBS OF ALL SIZES

Ideal for large residential and commercial contractors needing a compact yet powerful texture sprayer capable of handling a wide variety of materials, such as acrylic renders, deck coatings, and more.



### RTX PRO EXTERIOR SERIES-RIESSPREAYERS INCLUDE:

- RotoFlex Pump
- FlexChange Pump Section

### TRIGGER-ACTIVATED POWER

SmartStart System

- Automatically start and stop the pump and compressor
- Soft-start eliminates material blasts to ensure a quality finish
- Reduces noise and vibration while extending pump and compressor life

### MORE AIR FOR DEMANDING FINISHES

Twin-Cylinder Air Compressor

- High-output, maintenance-free design runs at lower RPM for longest life

### TOTAL SPRAY CONTROL

Heavy-Duty Aluminium Trigger Gun

- Select prime mode at the gun with Integrated Prime Selector
- Spray more material longer with durable aluminium design and oversized passages

### IMPROVED HANDLING AND FLEXIBILITY

Heavy-Duty Material/Air Hose

- Both hoses are permanently bonded together for easy handling

### 240 V POWER OPTION

TexSpray RTX 5500Px

- Connects to standard 220-240 V L6-30 receptacles (3 wire) on most distribution boxes or generators

### INCREASE PRODUCTIVITY BY OVER 20%

WideTex with Hardened Tips and Adapter

- Spray uniform, repeatable patterns with less material and pressure adjustment
- 2X harder than Standard WideTex tips!

External Air Input

- Allows external air to be used for demanding finishes



|                                  |        |
|----------------------------------|--------|
| TEXSPRAY RTX PRO EXTERIOR SERIES | PART # |
| TexSpray RTX 5500Px              | 17K680 |

# HTX 2030 GAS MECHANICAL TEXTURE SPRAYER

## SPRAY THE MOST DEMANDING MATERIALS

The HTX 2030 is specifically engineered to spray nearly everything—from exterior smooth and aggregate coatings, elastomerics, acrylic coatings, drywall joint finishes, as well as paints and primers, with the available high-pressure MaxLife® Endurance™ Pump.



### TIME-SAVING PRODUCTION RATES

#### High-Output Texture Pump

- Pump aggregated materials up to 2.0 mm with extra large passages
- More uptime with no-tools hose connections at pump and gun
- Consistent, optimal performance with innovative foot valve soft seal



### FULL-RANGE FLOW CONTROL

#### PowerFlo™ Control System

- Remotely stops and starts material flow right at the pump
- Smooth, controlled material flow prevents material separation
- Soft start eliminates material blast to ensure finish quality

### REDUCED MATERIAL SEPARATION

#### StraightThru™ Fluid Path

- Easily spray more demanding and aggressive aggregate materials

### APPLICATORS FOR EVERY JOB

#### FreeFlo™ Inline Gun

- Maximum flow from oversized, unobstructed fluid passages

#### STX Trigger Gun Applicator

- Virtually eliminates material separation, while providing a soft-start when trigger is pulled
- Automatically turns on/off pump with trigger for easier operation
- Ideal for spraying EIFS and acrylic render finish coats
- Consistent material coverage in either a round pattern or wide fan pattern



#### 90 cm Pole Gun

- Extended reach to minimise repositioning of lifts and ladders
- Spray in a wide fan pattern

#### FlexHead™ Pole Gun

- Greater control in tight areas—on scaffolding and around architectural detail
- Spray in a wide fan pattern

### TEXTURE APPLICATIONS

Interior and exterior texture finishes with aggregate size up to 2.0 mm



TexSpray HTX 2030 Basecoat Sprayer Complete

|                   |        |
|-------------------|--------|
| TEXSPRAY HTX      | PART # |
| TexSpray HTX 2030 | 257369 |

# AIRLESS WALL FINISHING PLASTER SPRAY EQUIPMENT

Dedicated for plaster wall smoothing and finishing, the TexSpray APX plaster sprayer is built for the true professional. This sprayer pumps the heaviest materials with optimal output and without pressure fluctuations. The all-in-one design is also easy to move around any jobsite.



## APX 8200

The higher performance provides a better, more consistent spray fan in large tip sizes, offering more flow and less time knifing down material. Stop losing time mixing or thinning your plaster before spraying. No more issues with cavitation and losing prime due to heavy materials.

| APX      | PART # |
|----------|--------|
| APX 8200 | 17N354 |

### ALL IN ONE

Its compact, all-in-one design includes the hopper. Plug in, fill the hopper and you're ready to go!

### MORE PERFORMANCE

A better, more consistent spray fan in large tip sizes, offering more flow and less time knifing down material

### IN ALL MATERIALS

Stop losing time mixing or thinning your plaster before spraying. No more issues with cavitation and losing prime due to heavy materials.

### SMART CONTROL 3.0

- Delivers consistent spray fan without pressure fluctuation
- Extra-large LED readout displays pressure, litres, hours and more
- Easy 1 knob control

### WELDED STEEL CART

- Front swivel wheel
- 3-wheel design with locking
- Easy, one-man transport and storage
- Integrated tool tray and lift handles

### ENDURANCE™ AIRLESS PISTON PUMP WITH PROCONNECT™ 2

- Proven to have longest life in the industry
- Available in complete hard chrome or complete MaxLife™, depending on your materials



# TEXSPRAY T-MAX™ 6912

## THE NEXT LEVEL IN POWER AND VERSATILITY

The Graco T-MAX 6912 provides the versatility and performance to spray almost all interior and exterior texture applications — whether you're spraying smooth compounds for interior skim coats and decorative finishes or aggregate-based materials for exterior jobs.



### SUPERIOR VERSATILITY FOR TEXTURE APPLICATIONS AND MATERIALS

- Airless: Easily apply skim coats without a compressor
- Air-Assisted: Spray decorative finishes and heavy aggregates up to 2 mm with your external air compressor



### ULTIMATE POWER AND CAPABILITY TO HANDLE MOST TEXTURE APPLICATIONS

- 1000 psi and 3.2 gpm from the industry-proven T-MAX Pump

### EASY-TO-USE AND MORE FORGIVING FOR THE BEST FINISH

- Precision pressure and flow control
- Innovative STX™ Gun provides soft-start operation that eliminates material bursts

### EVEN MATERIAL FLOW AND LESS MATERIAL SEPARATION

- Oversized passages for maximum productivity

### EASY TRANSPORT

- Modular frame provides easy, no-tools connect and disconnect
- Wheeled pump and hopper modules allow for easy, independent transport or storage

### SIMPLE JOBSITE OPERATION

- Plug-in anywhere with 230V capability
- Keep sprayer in-place with long, extended hose lengths

### FAST, EASY CLEANUP AND PUMP MAINTENANCE

- Access pump internals in seconds without tools — even with a full hopper



|   |        |
|---|--------|
| TEXSPRAY T-MAX 6912   | PART # |
| TexSpray T-MAX 6912 - Kit, Applicator                         | 17X987 |
| TexSpray T-MAX 6912 - STX Gun, Hose Kit, Manifold             | 17X994 |
| TexSpray T-MAX 6912 - STX Gun, Applicator, Hose Kit, Manifold | 17Z289 |

# EXCLUSIVE FEATURES TO KEEP YOU SPRAYING



## 230V MAXPOWER™ DC MOTOR

- Use with standard 15/20 amp circuits
- No-maintenance, brushless design keeps debris out
- Lifetime Guaranteed

## HEAVY-DUTY MODULAR FRAME

- Steel construction withstands jobsite abuse
- Easy, no-tools connect and disconnect
- Small, compact and balanced design for easy maneuvering



## OVERSIZED HOPPER WITH LID

- 200 L for less refilling
- Steep-sided design keeps material flowing

## SMARTCONTROL™ 3.0

- Delivers smooth, consistent material flow
- Provides Airless or Flow mode
- LED Display shows pressure, litres, and more



## SMALL, COMPACT, AND MANEUVERABLE

- Balanced design for easy rolling — even when full
- Locking front swivel caster wheel

## QUICK-ACCESS PISTON PUMP

- Access any part of the pump in seconds — without tools
  - Even with a full hopper of material

## HOSES AND APPLICATORS

- Flexible hose sets available in various lengths
- Choose between airless Inline Lance or air-assisted STX applicator, both featuring 360° live swivel for effortless spraying.
- Pole applicators available for extended reach

## INDUSTRY-PROVEN T-MAX PUMP

(PATENT PENDING)

- Proven design delivers long life with minimal maintenance
- Oversized passages ensure minimal pressure drop
- Long-life thick chrome rod and sleeve construction



## INNOVATIVE STX GUN

(PATENT PENDING)

- Automatic sequential shut-off stops pump first, then air and material, for less
- Forgiving soft start operation eliminates material bursts to deliver smooth finishes
- Perfect for decorative finishes with smooth or aggregate materials up to 2 mm



# INTRODUCING HD 3-IN-1 AIRLESS SPRAYERS

## PAINT, HEAVY COATINGS & TEXTURE

Selecting the right spray equipment is critical to your business. You need a sprayer that can tackle your current jobs, but also one that gives you room to grow by expanding your capabilities. With an HD sprayer, you'll have the confidence that you'll always have the right sprayer – no matter the job!

### ONE SPRAYER, MANY APPLICATIONS

- 1** PAINT: sprays the full range of paints and primers
- 2** HEAVY COATINGS: fireproofing, waterproofing, vapour-barrier and more
- 3** TEXTURE: Level 5, Skim Coat, Orange Peel\*, Splatter\* and Knock-Down\* (\* with air atomiser kit)

NO FILTER  
TEXTURE GUN  
with 4X more flow area  
than standard spray guns

DIRECT-  
IMMERSION  
PUMP  
puts the pump inlet  
right in the material,  
eliminating the  
suction tube

OVERSIZED HOSE  
for easier pumping with  
2X more flow area

OVERSIZED  
MAXFLO 2 INLET  
offers 4X more  
flow than typical  
pumps, and  
resistance



## HD 3-IN-1 SPRAYERS FOR EVERY JOBSITE

Graco offers three separate families of 3-in-1 sprayers to provide power and size options to handle every jobsite condition so you can get the job done right, every time.

### MARK HD

Electric-Powered



### GMAX II HD

Gas-Powered, Mechanical




### DUTYMAX HD

Gas / Electric Convertible Hydraulic



# CHOOSE THE RIGHT SERIES OF HD 3-IN-1 AIRLESS SPRAYER FOR YOUR BUSINESS



## EVERYDAY RELIABILITY - SMALL RESIDENTIAL AND LIGHT COMMERCIAL CONTRACTOR

- Spraying multiple days a week
- Typically with jobs on the smaller side
- Demanding everyday reliability
- Don't need a lot of extra features



## WORK SMARTER, FINISH MORE JOBS - LARGE RESIDENTIAL AND COMMERCIAL CONTRACTOR

- Spraying every day
- Tackling medium-to-large projects
- Moving frequently from job to job
- Requiring features that save you time and get you to the next job site faster



## BEYOND JOBSITE TOUGH - LARGE COMMERCIAL AND INDUSTRIAL CONTRACTOR

- Spraying continuously in less-than-ideal conditions
- Handling large, long-duration projects requiring large material volumes
- Keeping your equipment on-site in material
- Requiring extreme durability and reliability

# BREAK THROUGH ENDURANCE VORTEX MAXLIFE AND MAXLIFE EXTREME™ TECHNOLOGY

PATENT PENDING

## THE LONGEST LASTING PUMPS EVER BUILT



Endurance  
Chromex™ Pump  
Lasts 2X longer



Endurance Vortex  
MaxLife Pump  
6X longer between  
repacks



Endurance Vortex  
MaxLife Extreme Pump  
Extends pump rod life by 3X —  
delivering the low  
cost of ownership



### SPRAYS THE WIDEST RANGE OF COATINGS

- Oversized clearances for maximum performance
- Maximum flow with heavy materials

### EASIEST SERVICE IN THE INDUSTRY

- QuikPak Cartridge System
- Repack the entire pump in less than 2 minutes
- ProConnect 2 Pump Replacement
- Pre-assembled modular replacement
- QuikAccess™ Intake Foot Valve
- Clear debris faster with easy inlet ball access

### MAXFLO 2 WITH PROTECTION

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Protection for more productivity
- Optimised fluid passageways for the heaviest coatings



# THE BEST JUST GOT BETTER

## VORTEX ROTATING PISTON TECHNOLOGY

### KEEPS YOU SPRAYING

(PATENT PENDING)

Built with Graco exclusive EXTREME ROD that is an abrasion-resistant composite to deliver the most durable, hardest wear surface possible

6X more litres sprayed between repacks — Extreme Composite extends pump rod life by 3X, delivering the lowest cost of ownership




ENDURANCE™ VORTEX™  
**MAXLIFE  
EXTREME™**

(PATENT PENDING)



**360°  
WEAR SURFACE**  
Delivers the longest  
pump life



(PATENT PENDING)

**VORTEX TECHNOLOGY**

Rotating rod for  
extended life

**HELICAL DESIGN**

Delivers high-velocity  
flow to rotate pump rod  
as you spray

**OLD WAY**



**VS**



**NEW WAY**

Modular pre-oiled  
cartridge packings  
install correctly  
every time

**QUIKPAK  
CARTRIDGE  
REPAIR  
SYSTEM**

(PATENT PENDING)

**REPACK YOUR  
PUMP  
IN MINUTES**



1) Insert pre-oiled packing  
cartridge assembly



2) Remove disposable clip



3) Assemble pump

# STAY IN CONTROL WITH BLUELINK

BlueLink connects the people and equipment that drive your business in a completely new way. Whether on the jobsite, at the office, or anywhere in between, BlueLink provides the critical information you need every day — including real-time jobsite access, instant maintenance alerts, on-demand productivity reports and much more!




## HOW IT WORKS:



1

**DATA IS STORED  
ON YOUR SPRAYER**



2

**AUTOMATICALLY UPDATES  
EACH TIME YOUR EMPLOYEES  
ARE NEAR THE SPRAYER**




3

**EXPERIENCE THE PROFIT  
DRIVING RESULTS  
THROUGH BETTER JOB  
MANAGEMENT**


Compare bid accuracy—know productivity facts from anywhere!

Manage your crew and their supplies



## KNOW JOB PROGRESS

Monitor hourly productivity to ensure job is on-time with the needed materials



Make fewer trips  
to jobsites

## LOCATE EVERY SPRAYER

Know exact locations of  
your sprayers and hourly  
productivity




## MAXIMISE UPTIME

Monitor preventative  
maintenance schedules  
and receive alerts

Access to complete  
historical maintenance  
records on every sprayer

Easily look up service  
parts on your sprayer  
with Graco PartsBook!



# GET STARTED TODAY

Get BlueLink working for your business today.  
Download the BlueLink app now!



Download on the  
**App Store**

GET IT ON  
**Google Play**

# MARK HD STANDARD SERIES

## EVERYDAY RELIABILITY



Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.



### RELIABLE PUMP

Endurance Chromex Piston Pump

- Lasts 2X longer
- Long-life ceramic and stainless steel balls included for maximum versatility
- Faster cleaning with the QuikAccess intake foot valve

### LESS PACK-OUT, MORE PRODUCTIVITY

MaxFlo 2 with Protection

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Protection for more productivity
- Optimised fluid passageways for the heaviest coatings

### PRECISION PRESSURE CONTROL

SmartControl 4.0 with ProGuard Protection System

- Lowest dead band at any pressure delivers a consistent spray fan without pressure fluctuation
- Prevents electrical damage from extreme jobsite power conditions
- WatchDog Pump Protection System automatically prevents pump damage if the material supply is too low



### FAST CLEANING NOW EVEN FASTER

FastFlush 2 System

- Clean the pump 6X faster using 1/2 the water
- High-velocity fluid flow delivered with 60% higher motor speed

### GET MORE WORK DONE

Worry-Free MaxPower Motor

- Proven performance for all painting applications
- High-torque brushless design
- Use longer cords, regardless of voltage fluctuations

### THE LONGEST LASTING DRIVE

Precision Advantage Drive™

- Improved jobsite conditions with extremely quiet operation

Ready to Work: complete with texture gun, 3/8 in x 15 m Blue Max™ II hose, whip hose, and RAC X™ SwitchTip™



### STREAMLINE YOUR BUSINESS

BlueLink Job and Sprayer Management System

|                      |        |
|----------------------|--------|
| MARK STANDARD SERIES | PART # |
| Mark V HD            | 17E657 |

# MARK HD PROCONTRACTOR™ SERIES

## WORK SMARTER, FINISH MORE JOBS



Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



### LONGER PUMP LIFE

Endurance Vortex MaxLife Piston Pump

Breakthrough Vortex Rotating Piston Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate piston for even wear
- Go 6X longer between repacks with innovative MaxLife coating
- Longest-life packings and piston rod
- Long Life ceramic and stainless steel balls included for maximum versatility

### EASY HOSE MANAGEMENT

QuikReel™ Hose Management System

- Deploy and rewind up to 90 m of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need — the rest stays on the reel



### ELIMINATE COSTLY DOWNTIME

ProConnect 2 Pump Replacement System

- Swap your pump in less than 1 minute — no tools, pins or parts to lose

### IMPROVED FILTRATION

Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain filtering and flow

Mark HD ProContractor Series sprayers also include all Standard Series features:

- BlueLink Job and Sprayer Management System
- SmartControl 4.0 with ProGuard
- MaxFlo 2 with Protection
- FastFlush 2
- WatchDog Pump Protection System
- Easy Out Pump Filter
- Precision Advantage Drive
- MaxPower Motor
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design



Ready to Work: complete with texture gun, 3/8 in x 15 m Blue Max II hose, whip hose, and RAC X SwitchTip

### STREAMLINE YOUR BUSINESS

BlueLink Job and Sprayer Management System

| MARK PROCONTRACTOR SERIES | PART # |
|---------------------------|--------|
| Mark V HD                 | 17E663 |

# MARK HD IRONMAN SERIES

## BEYOND JOBSITE TOUGH



IronMan Series electric sprayers are built to routinely handle the rugged demands of large commercial and industrial jobs—day in and day out.



### THE LONGEST DURABILITY AND LIFE

Endurance Vortex MaxLife Extreme  
Piston Pump

Breakthrough Vortex Rotating Piston  
Technology Keeps You Spraying:

- Longest life packings and piston rod
- 3X pump rod life
- Maximum versatility no matter what you're spraying
- Long-life ceramic and stainless steel balls included for maximum versatility



### ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump  
Replacement System

- Swap your pump in less than 1 minute—no tools, pins, or parts to lose



### NEVER HAVE A FLAT AGAIN

Flat Proof Tires

- No tyre puncturing from nails, screws, or other sharp debris



### STREAMLINE YOUR BUSINESS

BlueLink Job and Sprayer Management System



Ready to Work: complete with texture gun, 9.5 mm x 7.6 m Blue Max II hose, whip hose, and RAC X SwitchTip

Mark HD IronMan Series sprayers also include all Standard Series features:

- BlueLink Job and Sprayer Management System
- SmartControl 4.0 with ProGuard
- FastFlush 2
- MaxFlo 2 with Protection
- Watchdog Pump Protection System
- Easy Out Pump Filter
- Precision Advantage Drive
- MaxPower Motor
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design

|                     |        |
|---------------------|--------|
| MARK IRONMAN SERIES | PART # |
| Mark V HD           | 17E629 |

# GMAX II HD STANDARD SERIES

## EVERYDAY RELIABILITY



Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.



### RELIABLE PUMP

Endurance Chromex Piston Pump

- Lasts 2X longer
- Long-life ceramic and stainless steel balls included for maximum versatility
- Faster cleaning with the QuikAccess intake foot valve

### LESS, MORE PRODUCTIVITY

MaxFlo 2 with Protection

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Protection for more productivity
- Optimised fluid passageways for the heaviest coatings

### CONSISTENT SPRAY FAN AND PRESSURE CONTROL

SmartControl 3.0

- Ideal for low overspray applications with the lowest dead band at any pressure

### LONG LASTING DRIVE

Precision Advantage Drive

- Durable, long lasting drive

### EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

- Easier filter cleaning and less mess with fewer tip clogs ensure a quality finish

### RUGGED AND EASY TO MOVE

Durable Cart Design

- Withstands tough jobsite conditions while absorbing impacts and vibrations
- Easy hose storage with integrated hose wrap and telescoping handle
- Easy loading with built-in lift handles

### RELIABLE, POWERFUL, AND EASY TO START

Honda GX Engine

- Oil Alert shuts down engine to prevent damage if oil level drops too low



Ready to Work: Complete with texture gun, 9.5 mm x 7.6 m Blue Max II hose, whip hose, and RAC X SwitchTip

All GMAX II 7900 HD sprayers feature Graco's MaxLife Pump:

- Lasts 6X longer between repacks
- Features exclusive hardened MaxLife sleeve and rod
- Oversized clearances ensure minimal pressure drop

| GMAX II HD STANDARD SERIES | PART # |
|----------------------------|--------|
| GMAX II 5900 HD Lo-Boy     | 17E829 |
| GMAX II 5900 HD Hi-Boy     | 17E831 |
| GMAX II 7900 HD            | 17E836 |

# GMAX II HD PROCONTRACTOR SERIES

## WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



### LONGER PUMP LIFE

MaxLife Endurance Vortex Piston Pump

- Oversized passages for high velocity flow to rotate piston for even wear
- Go 6X longer between repacks with innovative MaxLife coating
- Longest life packings and piston rod
- Long-life ceramic and stainless steel balls included for maximum versatility

### ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

- Swap your pump in less than 1 minute — with no tools, pins, or parts to lose

### PREVENT PUMP DAMAGE

WatchDog Pump Protection System

- Prevents dry pumping damage
- Automatically shuts pump down when paint runs out or if hose is damaged

GMAX II HD ProContractor Series sprayers also include all Standard Series features:

- MaxFlo 2 with Protection
- SmartControl 3.0
- Easy Out Filter Manifold
- Precision Advantage Drive
- Honda GX Engine
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design

### EASY HOSE MANAGEMENT

QuikReel Hose Management System

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need — the rest stays on the reel

### QUICK REFERENCE

LED Display

Easy-to-read display shows:

- Pressure readout
- Job/lifetime/gallon counter
- Self-diagnostics



Ready to Work: complete with texture gun, 9.5 mm x 7.6 m Blue Max II hose, whip hose, and RAC X SwitchTip

| GMAX II HD PROCONTRACTOR SERIES | PART # |
|---------------------------------|--------|
| GMAX II 5900 HD                 | 17E832 |
| GMAX II 7900 HD                 | 17E837 |

# GMAX II HD IRONMAN SERIES

## BEYOND JOBSITE TOUGH



IronMan Series sprayers are designed and built to handle the most brutal and demanding conditions—typically found on large commercial and industrial jobsites.



### THE LONGEST DURABILITY AND LIFE

MaxLife Extreme Endurance Vortex Piston Pump

Breakthrough Vortex Rotating Piston Technology:

- Oversized passages for high-velocity flow to rotate piston for even wear
- 3X pump rod life
- Longest life packings and piston rod
- Maximum versatility no matter what you're spraying
- Long-life ceramic and stainless steel balls included for maximum versatility

### PREVENT PUMP DAMAGE

WatchDog Pump Protection System

- Automatically shuts pump down when paint runs out or if hose is damaged

### QUICK REFERENCE

LED Display

Easy-to-read display shows:

- Pressure readout
- Job/lifetime/gallon counter
- Self-diagnostics



### ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

- Swap your pump in less than 1 minute — no tools, pins, or parts to lose

### NEVER HAVE A FLAT AGAIN

Flat Proof Tires

- No tyre puncturing from nails, screws or other sharp debris

GMAX II HD IronMan Series sprayers also include all Standard Series features:

- MaxFlo 2 with Protection
- SmartControl 3.0
- Easy Out Filter Manifold
- Precision Advantage Drive
- Honda GX Engine
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design



Ready to Work: complete with texture gun, 9.5 mm x 7.6 m Blue Max II hose, whip hose, and RAC X SwitchTip

| TEXSPRAY HD IRONMAN SERIES | PART # |
|----------------------------|--------|
| GMAX II 7900 HD            | 17E838 |

# DUTYMAX™ HD STANDARD SERIES

## EVERYDAY RELIABILITY



Graco's Standard Series of DutyMax HD hydraulic direct-immersion sprayers delivers durability and performance while easily handling the widest range of tip sizes, longer hose lengths and heavier coatings.



### RELIABLE PUMP

Endurance Pump

- Lasts 2X longer
- Better spraying performance and fast cleaning
- Long-life ceramic and stainless steel balls included for maximum versatility

### EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

- Large filtering area for easier cleaning and fewer tip clogs ensure a quality finish
- Won't collapse or get stuck with inside out filtering process

### INDOOR AND OUTDOOR USE

Honda GX Engine

- Quickly swap the gas engine for an electric motor in seconds — without tools!
- Available on DutyMax GH 230DI Convertible

### REDUCED DOWNTIME

High-Capacity Cooling System

- Innovative design allows the pump to run cooler and more efficiently with extremely quiet operation
- Easier and more thorough fluid changes
- Reservoir cooling fins deflect more heat

### MAINTENANCE-FREE HIGH-PRESSURE DUMPING CAPABILITY

Heavy-Duty Prime Valve

### FINISH JOBS FASTER

High-Efficiency Hydraulic Motor

- Fast, responsive changeover
- Less maintenance and longer life with fewer moving parts
- 100% O-ring sealed fittings prevent leaks

### RUGGED AND EASY TO MANOEUVRE

Durable Cart Design

- Withstands the tough jobsite conditions while absorbing impacts and vibrations
- Retractable handle doubles as coiled hose storage

Ready to Work: complete with texture gun, 9.5mm x 7.6 m Blue Max II hose, whip hose, and RAC X SwitchTip



| DUTYMAX HD STANDARD SERIES    | PART # |
|-------------------------------|--------|
| DutyMax GH 230 HD Convertible | 24W929 |
| DutyMax GH 300 HD             | 24W935 |

# DUTYMAX HD PROCONTRACTOR SERIES

## WORK SMARTER, FINISH MORE JOBS

With features that enable you to work more efficiently, the ProContractor Series of DutyMax hydraulic airless sprayers delivers high speed and performance to help you get to the next job faster, saving you time and money.



### EXTREME-DUTY MAXLIFE PUMP

Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- Lasts 6X longer between repacks
- Exclusive MaxLife Sleeve
- Oversized clearances ensure minimal pressure drop and increased performance
- Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying

### EASY HOSE MANAGEMENT

QuikReel Hose Management System

- Deploy and rewind up to 90 mt of hose in seconds
- No twisting, kinking, or coiling

### IMPROVED FILTRATION

Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain filtering and flow

### ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

- Swap your pump in less than 1 minute — no tools, pins or parts to lose
- Eliminates costly jobsite downtime

DutyMax ProContractor Series sprayers also include all Standard Series features:

- Easy Out Filter Manifold
- High-Efficiency Hydraulic Motor
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- High-Capacity Cooling System



Ready to Work: complete with texture gun, 9.5mm x 7.6 m Blue Max II hose, whip hose, and RAC X SwitchTip



| DUTYMAX HD PROCONTRACTOR SERIES | PART # |
|---------------------------------|--------|
| DutyMax GH 230 HD Convertible   | 24W932 |
| DutyMax GH 300 HD               | 24W936 |

# PRO SURFACE

## PROFESSIONAL SMOOTHING BLADE

Introducing Graco's complete line of Professional Smoothing Blades. Designed for Drywall and Plaster Finishing, these blades deliver a fast, glass-like finish with minimal material waste or sanding. Experience the most comfortable way to finish for yourself!

## THE FASTEST & MOST PRODUCTIVE WAY TO FINISH. PERIOD.

### BENEFITS YOU'LL APPRECIATE!

- Bi-Flex Blade Technology keeps the material on the work surface, and off the blade — minimising waste and cleaning
- Precision stainless steel blade delivers the smoothest finish — significantly reducing sanding
- Ergonomic design requires less effort than standard knives resulting in less fatigue and greater productivity
- Contractor-preferred composite blade handles are lighter and more comfortable than alternative metal designs



### EVERYTHING YOU NEED FOR A SUPERIOR FINISH


- Multiple sizes and extension pole to finish every surface — no matter how big or small
- Durable composite hardcase for easy transport and protection of tools
- Available in convenient Multi-Tool kit (shown) or individually

## INTRODUCING BI-FLEX BLADE TECHNOLOGY

A precise fulcrum point is designed into the handle grip area

Bi-Flex Stainless Steel blade flexes, providing more pressure and finishing area

Up to **10X** more contact area with the surface for a superior finish & even blade wear



# DESIGNED TO PERFORM. BUILT TO LAST.



## EXTENDABLE EXTENSION POLES

- Aluminium and composite construction for light weight and maximum durability
- Extendable design with swivel head to reach anywhere — eliminating the need for ladders
- Attaches to blades in seconds with no-tools
- 2 sizes to choose from: 50-100 cm or 100-200 cm



Simply align pole with Graco logo for balanced operation

## SMOOTHING BLADES WITH BI-FLEX TECHNOLOGY

- Precision German stainless steel blade for unmatched surface finish quality
- Rounded edges for perfect smoothing — without build-up
- Light weight composite handle for all-day comfort
- 7 sizes to choose from

| PROFESSIONAL SMOOTHING BLADE   | PART # |
|--|--------|
| ProSurface™ Smoothing Tool Kit (Contains 25 cm, 35 cm, 45 cm, 60 cm & 80 cm Blades, 100 cm Extension Pole; Carry Case                        | 18C677 |
| ProSurface™ Plasterboard Tool Kit (Contains 25 cm, 35 cm, 45 cm, 60 cm in Blades, 10 & 15 cm Joint Knives, 100 cm Extension Pole; Carry Case | 18C676 |



## JOINT KNIVES

- Aluminium and Steel construction for maximum durability
- Precision stainless steel blade for the smoothest finish
- Over-Moulded non-slip grip for comfort and control
- 2 sizes to choose from: 10 cm & 15 cm



Integrated #2 Phillips Head screwdriver fits  
Common plasterboard screws - perfect for setting  
screws (15 cm knife only)

Learn more at [Graco.com/ProSurface](https://www.graco.com/ProSurface)

# POWERFILL 3.5

## CORDLESS LOADING PUMP


Introducing the industry's first cordless, powered loading pump designed to fill all automatic taping and finishing tools. PowerFill totally eliminates the need to manually pump. Now you can quickly fill with just the push of a button—eliminating daily fatigue and long-term injury.

## NEVER HAND-PUMP AGAIN

### BENEFITS YOU'LL APPRECIATE

- Single-button pumping eliminates fatigue and injury associated with manual pumping
- Hi-Rise Fill Tube protects your back by eliminating bending
- Programmable to refill tools automatically with Precision Fill
- Up to 13 lpm for lightning-fast filling—all day, every day
- Lightweight, compact design is perfect for any location, even tight scissor-lifts
- Quickly converts to right or left hand use for maximum flexibility
- Pumps up to 200 L on a single battery charge

### FILLS IT ALL AND MORE



- Flat and Angle Boxes
- Automatic Taper
- Nail Spotter
- Compound Tube
- Banjo
- Joint compound Tray
- Hawk
- Hopper Guns
- Buckets and Hoppers



## SAVE YOUR BACK WITH THE HI-RISE FILL PORT



**OLD WAY**



**BETTER WAY**

- Ergonomic design eliminates bending—protecting your back
- Fully rotatable to position the outlet where you want it—such as over the bucket to catch drips



## AUTOMATICALLY FILL WITH PRECISION FILL

- Fill your tools, pans or hawks to your preset level — with the push of a button
- Accuracy to within 7 grams for each fill—regardless of battery condition or pump speed
- Hands-free, continuous pumping mode is perfect to load or unload bulk containers and for easiest cleaning—just let it run!
- Increases overall job productivity so you can get more done!

## PROGRAM IN 3 EASY STEPS



**Press and hold Program Button until light flashes**



**Press Pump Button and fill to desired level**



**Press Program Button to save setting**

## INTRODUCING POWERSTROKE™ THE INDUSTRY'S LONGEST LIFE PUMP. PERIOD.



### COMPACT DESIGN, NO-TOOLS CONVENIENCE

- Balanced, double-acting output for the smoothest material delivery and maximum efficiency
- Slim body design is 35% smaller diameter than manual pumps for easier cleaning and smaller "in-bucket" footprint
- ProConnect™ tool-less pump offers easy access to pump internal components
- 10 mesh filter offers 25% more filter area than manual pumps with no-tools removal

### 4X LIFE vs MANUAL PUMPS

- Anodised aluminium and stainless steel construction for unmatched life
- 4X life vs manual pumps



| POWERFILL                | PART # |
|--------------------------|--------|
| Powerfill 3.5 Standard   | 26B442 |
| Powerfill 3.5 Pro Series | 26B443 |
| Powerfill 3.5 XL Pro     | 26B444 |

# TEXTURE ACCESSORIES

## WORK FASTER AND MORE PRODUCTIVELY

From rugged guns and tips to hoses and hoppers, Graco's accessories let you customise your sprayer for maximum performance to help grow your business.



### 95-LITRE TEXTURE HOPPER

This versatile large-capacity hopper connects directly to all airless texture sprayers. It boosts your productivity by minimising material refills, and it's easy to attach and manoeuvre throughout the jobsite.



### AIR ATOMISER KIT

Why limit what you can spray? The air atomiser kit attaches to the Heavy-Duty Texture Gun and the Flex Gun, allowing you to attach an air compressor to create decorative texture finishes such as orange peel, splatter, and knockdown.

#### TEXSPRAY RTX AND GTX SPRAYERS

|               |                               |  |        |   |
|---------------|-------------------------------|--|--------|---|
|               | 24S135                        | RTX 5000px and 5500px Air Spray Trigger Gun with Threaded Connection             |        |   |
| HOSES<br>MISC | RTX Standard Replacement Hose |  |        |   |
|               | 17J454                        | Blue Translucent Hose Kit: 19 mm x 7.6 m   | 17L004 | Blue Translucent Hose Kit: 31.7 mm x 7.6 m  |
|               | 17J420                        | Blue Translucent Hose Kit: 25.4 mm x 7.6 m                                       | 17L006 | Blue Translucent Hose Kit: 31.7 mm x 10.7 m |
|               | 17J421                        | Blue Translucent Hose Kit: 25.4 mm x 15 m  |        |   |
|               | RTX, GTX Heavy-Duty Hose      |  |        |   |
|               | 17L010                        | Blue Solid Heavy-Duty Hose Kit: 25.4 mm x 3 m Whip                               | 17L005 | Blue Translucent Hose Kit: 31.7 mm x 7.6 m  |
|               | 17L000                        | Blue Solid Heavy-Duty Hose Kit: 25.4 mm x 7.6 m                                  | 17L009 | Blue Translucent Hose Kit: 31.7 mm x 15 m   |
|               | 287314                        | RotoFlex HD Pump Hose: for use with RTX 1500, RTX 5000PI, RTX 5000px, RTX 5500px |        |   |
|               | 248515                        | Sponge Ball Clean-Out Kit: for 25 mm ID Hose, Qty 5                              |        |   |

#### TEXSPRAY T-MAX

|   |              |   |        |   |
|---|--------------|---|--------|---|
| APPLICATORS   | Air-Assisted |   |        |   |
|   | 17Z128       | FreeFlo Inline Gun (Includes 4, 6, 8, 10 mm Nozzles)                      |        |   |
|   | 24B945       | Flex Head Pole Gun (Includes 1/3, 1/2, 9/16, 5/8, 11/16, 3/4 in Nozzles)  |        |   |
|   | 24B944       | Rigid Pole Gun 3 ft (Includes 1/3, 1/2, 9/16, 5/8, 11/16, 3/4 in Nozzles) |        |   |
|   | Airless      |   |        |   |
|   | 17Y907       | Heavy-Duty Inline Airless Gun (Includes 651 Tip)                          |        |   |
| AIRLESS TIPS,<br>FILTERS, GUARDS,<br>AND EXTENSIONS | 289922       | 18 Mesh with Scraper (for Lance 17Z054)                                   | 277789 | Filter Scraper (for Lance 17Z054)           |
|   | 289923       | 30 Mesh with Scraper (for Lance 17Z054)                                   | 15X791 | Flow Through Filter Plug (for Lance 17Z054) |
|   | LTX-XXX      | RAC X Heavy-Duty Switch Tip   | 287020 | 15 in RAC X Tip Extension (4050 psi)        |
|   | 246215       | Guard RAC X with 7/8 in Threads   | 287021 | 20 in RAC X Tip Extension (4050 psi)        |
|   | 287019       | 10 in RAC X Tip Extension (4050 psi)                                      | 287022 | 30 in RAC X Tip Extension (4050 psi)        |
|   |              |   |        |   |
| HOSES   | 17Z187       | 1 in x 15 m Material Hose   |        |   |
|   | 17Z188       | 1 in x 30 m Material Hose   |        |   |
|   | 17Z500       | 3/4 in x 10 ft Solvent Resistant Hose                                     |        |   |
|   | 17Z151       | 100 ft Air Hose with STX Remote Wire                                      |        |   |
|   | 17Z148       | 50 ft Air Hose with STX Remote Wire                                       |        |   |
|   |              |   |        |   |

|         |   |  |  |                  |
|---------|---|--|--|------------------|
| NOZZLES | STX Air-Assist Texture Trigger Gun                            |  | Inline Lance   |                  |
|         | 17Z563  | 4 mm   | 248888   | 3 mm             |
|         | 17Z564  | 6 mm   | 248524   | 4 mm             |
|         | 17Z565  | 8 mm   | 248525   | 6 mm             |
|         | 17Z566  | 10 mm  | 248526   | 8 mm             |
|         | 17Z567  | 12 mm  | 248527   | 10 mm            |
|         | Pole and Flex Head Air-Assist Gun<br>Stainless Steel Nozzles  |  | Pole and Flex Head Air-Assist Gun<br>Stamped Steel Nozzles |                  |
|         | 16A444  | Size 4 (1/4 in)  | 128459   | 3/8 in Orifice   |
|         | 16A445  | Size 5 (5/16 in)   | 128460   | 1/2 in Orifice   |
|         | 16A446  | Size 6 (3/8 in)  | 128461   | 9/16 in Orifice  |
|         | 16A447  | Size 7 (7/16 in)   | 128462   | 5/8 in Orifice   |
|         | 16A448  | Size 8 (1/2 in)  | 128463   | 11/16 in Orifice |
|         |   |  | 128464   | 3/4 in Orifice   |
|         | Pole and Flex Head Air-Assist Gun Nozzle Caps and Accessories |  |  |                  |
|         | 16A421  | Cap Nozzle Retainer Hard   |  |                  |
|         | 16A405  | Cap Nozzle Retainer Medium   |  |                  |
|         | 16A426  | Fine Finish Adapter  |  |                  |
| MISC.   | 25M530  | ToughTek® CM 20 Continuous Flow Mixer (120 Volt)   |  |                  |
|         | 248515  | Sponge Ball Cleanout Kit for 1 in Hose (Qty 5)   |  |                  |
|         | 17Y905  | Prime Valve Kit  |  |                  |
|         | 25E693  | 55 Gallon Suction Set (Includes Suction Set and Qd Foot Valve)   |  |                  |
|         | 25E692  | 5 Gallon Cleaning Suction Set  |  |                  |
|         | 17Z571  | HTX 2030 STX Conversion Kit with 50 ft Hose (Includes: STX Gun, Material Hose, Air Hose w/Remote Wire, Nozzles, Air Manifold, Fittings)  |  |                  |
|         | 17Z572  | HTX 2030 STX Conversion Kit with 100 ft Hose (Includes: STX Gun, Material Hose, Air Hose w/Remote Wire, Nozzles, Air Manifold, Fittings) |  |                  |
|         | 620223  | Pump Clamp   |  |                  |
|         | 17Z556  | Steel Ball Kit (Inlet and Outlet Ball Qty 1 Each)  |  |                  |
|         | 17Z648  | Standard Ceramic Ball Kit (Inlet and Outlet Qty 1 Each)  |  |                  |
|         | 17Z640  | Heavy-Duty Ceramic Ball Kit (Inlet and Outlet Qty 1 Each)  |  |                  |
|         | 15R609  | Hopper Inlet Replacement Grommet   |  |                  |
|         | 17Z224  | 50 Pack of Hose Lubricant to Reduce Packout  |  |                  |
|         | 19A646  | Hopper Scraper   |  |                  |
|         | 16W601  | Female x Female QD Hose Coupling for Clearing Packouts   |  |                  |
|         | 17Z183  | 95 L Hopper Module (Includes Hopper, Frame, Wheels)  |  |                  |

## NOZZLE SELECTION GUIDE

| NOZZLE SIZE                       | 3 MM                               | 4 MM                               | 5 MM                           | 6 MM                           | 8 MM                                      | 9.5 MM  | 10 MM                                     | 11 MM                                     | 13 MM                                     | 14 MM                                     |
|-----------------------------------|------------------------------------|------------------------------------|--------------------------------|--------------------------------|---|---|---|---|---|---|
| INTERIOR<br>SMOOTH MATERIAL       | Fine Finish<br>Orange Peel/<br>Fog | Fine Finish<br>Orange Peel/<br>Fog | Orange Peel,<br>Small Splatter | Orange Peel,<br>Small Splatter | Splatter, Small to<br>Medium<br>Knockdown | Acoustics/Popcorn,<br>Splatter, Medium<br>Knockdown | Acoustics/<br>Popcorn, Large<br>Knockdown | Acoustics/<br>Popcorn, Large<br>Knockdown | Acoustics/<br>Popcorn, Large<br>Knockdown | Acoustics/<br>Popcorn, Large<br>Knockdown |
| EXTERIOR<br>AGGREGATE<br>MATERIAL | up to 1.0 mm<br>(maximum)          | up to 1.25 mm<br>(maximum)         | up to 1.5 mm<br>(maximum)      | up to 2.5 mm<br>(maximum)      | up to 2.5 mm<br>(maximum)                 | up to 2.5 mm<br>(maximum)                           | up to 2.5 mm<br>(maximum)                 | up to 2.5 mm<br>(maximum)                 | up to 2.5 mm<br>(maximum)                 | up to 2.5 mm<br>(maximum)                 |

\*Nozzle size requirement could vary based on material viscosity, desired finish, production rate, and air settings.

## MARK HD, GMAX II HD, DUTYMAX HD SPRAYERS

|                  |        |   |        |                             |        |                               |
|------------------|--------|---|--------|-----------------------------|--------|-------------------------------|
| <b>GUNS</b>      | 246468 | Flex Plus Gun   | 241705 | Heavy-Duty Blue Texture Gun | 245820 | Inline Heavy-Duty Texture Gun |
| <b>HOSE KITS</b> | 241338 | Heavy-Duty Blue Texture Gun Hose Kit with RAC X LTX 531 SwitchTip 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi Hose, 1/4 in x 3 ft (6.4 mm x 0.9 m) 3300 psi Whip Hose, Couplers, and additional RAC X LTX 427 SwitchTip |        |                             |        |                               |
| <b>HOPPER</b>    | 287987 | 95 Litre Texture Hopper directly connects to Mark V HD, GMAX II 5900 HD, GMAX II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD  |        |                             |        |                               |
|                  | 243380 | Cam-Lock Hose Adapter Connects the Texture Hopper to the GMAX II 7900 HD, HTX 2030 Sprayers   |        |                             |        |                               |
| <b>MISC</b>      | 244052 | Heavy-Duty Texture Gun Air Atomiser Kit with Air Hose (minimum air compressor rating of 15 cfm at 90 psi)   |        |                             |        |                               |
|                  | 244223 | Heavy-Duty Texture Gun Air Atomiser Kit without Air Hose (minimum air compressor rating of 15 cfm at 90 psi)  |        |                             |        |                               |
|                  | 289669 | 95 Litre Siphon Kit for GMAX II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD   |        |                             |        |                               |

## HTX 2030 COMPLETE, HTX 2030 COMPLETE PLUS+ SPRAYERS

|                  |                              |   |        |               |        |                      |        |                     |
|------------------|------------------------------|---|--------|---------------|--------|----------------------|--------|---------------------|
| GUNS AND NOZZLES | 24B327                       | FreeFlo Inline Gun with 4, 6, 8, 10 mm Nozzles, 18 and 30 Mesh Filters, RAC X LTX 671 Tip and Guard   |        |               |        |                      |        |                     |
|                  | 24B944                       | Pole Gun 1 m with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter  |        |               |        |                      |        |                     |
|                  | 24B945                       | Flex Head Gun with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter   |        |               |        |                      |        |                     |
|                  | 241705                       | Heavy-Duty Blue Texture Gun   |        |               |        |                      |        |                     |
|                  | 24R054                       | HTX 2030 Trigger Gun Applicator   |        |               |        |                      |        |                     |
|                  | FreeFlo Inline Gun           |   |        |               |        |                      |        |                     |
|                  | 287227                       | Fine Finish Kit includes 3 mm, 6 mm, 8 mm, 9.5 mm Spray Discs, Retaining Nut, and Adapter   |        |               |        |                      |        |                     |
|                  | 248888                       | 3 mm Nozzle   | 248525 | 6 mm Nozzle   | 248527 | 10 mm Nozzle         |        |                     |
|                  | 248524                       | 4 mm Nozzle   | 248526 | 8 mm Nozzle   |        |                      |        |                     |
|                  | Pole And Flex Head Pole Guns |   |        |               |        |                      |        |                     |
|                  | 16A443                       | 5 mm Nozzle   | 16A446 | 9.5 mm Nozzle | 16A449 | 14 mm Nozzle         | 16A246 | Fine Finish Adapter |
|                  | 16A444                       | 6 mm Nozzle   | 16A447 | 11 mm Nozzle  | 16A405 | Cap, Nozzle – Medium |        |                     |
|                  | 16A445                       | 8 mm Nozzle   | 16A448 | 13 mm Nozzle  | 16A421 | Cap, Nozzle – Hard   |        |                     |
| HOSE KITS        | 24B326                       | 19mm x 30m Extension Hose (no remote switch)  |        |               |        |                      |        |                     |
|                  | 24B300                       | 19 mm x 15 m Fluid Hose With Remote On/Off Switch   |        |               |        |                      |        |                     |
| PUMP KIT         | 24B140                       | MaxLife Endurance High Pressure Pump Kit includes High-Pressure Lower, Heavy-Duty Texture Gun, Hose 9.5 mm x 15 m, 6.4 mm x 0.9 m 3300 psi Whip Hose, and RAC X LTX 643 SwitchTip |        |               |        |                      |        |                     |
| MISC             | 287987                       | 200 Litre Texture Hopper  |        |               |        |                      |        |                     |
|                  | 243380                       | Cam-Lock Hose Adapter connects Texture Hopper to the HTX 2030 High-Output Texture Pump  |        |               |        |                      |        |                     |
|                  | 24C414                       | Ball Valve Material Shutoff Kit   |        |               |        |                      |        |                     |

## TEXSPRAY FASTFINISH SPRAYERS

|                 |        |  |        |  |
|-----------------|--------|--|--------|--|
| <b>GUN HOSE</b> | 25D496 | FastFinish Pressure-Boosted Hopper Gun   | 17V694 | Nozzle Kit (4 mm, 6 mm, 8 mm) (FastFinish and G-TEX Guns only) |
|                 | 25D497 | G-TEX Metal Bodied Gravity-Feed Hopper Gun   | 26A563 | Non-marking Air Hose   |
|                 | 17V692 | WideTex Kit (w/ adapter, 4 mm, 6 mm, 8 mm W tips) (FastFinish and G-TEX Guns only) | 245924 | Plastic-Bodied Gravity-Feed Hopper Gun                         |

| BLADES   | PART # |
|--|--------|
| 15 cm Smoothing Blade (perfect for small areas or wipe-down after taping)        | 18C682 |
| 25 cm Smoothing Blade (perfect for small areas or wipe-down after taping)        | 18C683 |
| 35 cm Smoothing Blade (perfect for following finishing boxes)                    | 18C684 |
| 45 cm Smoothing Blade (perfect for finishing wide joints or large wall surfaces) | 18C685 |
| 60 cm Smoothing Blade (perfect for finishing wide joints or large wall surfaces) | 18C686 |
| 80 cm Smoothing Blade (perfect for finishing wide joints or large wall surfaces) | 18C687 |
| 100 cm Smoothing Blade (perfect for large wall and ceiling surfaces))            | 18C688 |
| KNIVES   | PART # |
| 10 cm Joint Knife  | 18C680 |
| 15 cm Joint Knife  | 18C681 |
| EXTENSION POLES  | PART # |
| 50-100 cm Extendable Extension Pole (fits all blades)                            | 18C678 |
| 100-200 cm Extendable Extension Pole (fits all blades)                           | 18C679 |

| POWER-FILL  | PART # |
|---|--------|
| 35 cm Hi-Rise Fill Tube Kit (Contains: Hi-Rise Fill Tube w/Box Filler, Outlet Elbow)  | 18D159 |
| 58 cm Hi-Rise Fill Tube Kit (Contains: Hi-Rise Fill Tube w/Box Filler, Outlet Elbow)  | 18D160 |
| Taper Gooseneck Fill Tube (20L) (Requires Outlet Elbow)   | 18D086 |
| XL Taper Gooseneck (110L) (Requires Outlet Elbow)   | 18D103 |
| Outlet Elbow (For use with Hi-Rise Fill Tubes and Gooseneck)  | 18D163 |
| 35 cm Hi-Rise Fill Tube (Requires Outlet Elbow) (Contains: Hi-Rise Fill Tube w/Box Filler)  | 18D164 |
| 58 cm Hi-Rise Fill Tube (Requires Outlet Elbow) (Contains: Hi-Rise Fill Tube w/Box Filler)  | 18D165 |
| 110L XL Conversion Kit (Converts Pump to 110L XL) (Contains: Pump Rod with Upper Piston, XL Pump Cylinder Body, XL Adjustable Foot) | 18D166 |
| Cleaning Hose Flush Kit (Contains: Outlet Fitting, Hose, (2) Cleaning Balls)  | 18D167 |
| Horizontal Fill Outlet (Contains: Horizontal Fill Outlet, Box Filler)   | 18D168 |
| Box Filler (Fits Horizontal Fill Outlet or Hi-Rise Fill Tube)   | 18D169 |
| Sponge Ball Clean Out Kit (QTY 5-1")  | 248515 |
| Inlet Filter, 10 Mesh   | 18D170 |
| DeWALT 16V MAX XR Lithium Ion Charger   | 17P561 |
| DeWALT 16V MAX XR Lithium Ion Battery   | 17P558 |





|                      |                       | TexSpray RTX 2500PI   | TexSpray RTX 5500PX 240 V   | APX 8200   | TexSpray FastFinish  |
|----------------------|-----------------------|---|---|--|--|
| MODEL                | Part Number           | 17V582  | 17H578  | 17N354 (230V)  | FastFinish Pro: Complete System 25D493<br>FastFinish Standard: Complete System 25D495<br>FastFinish CF9 Air Compressor Only: 25D491<br>FastFinish Pressure-Boosted Gun Only: 25D496<br>G-TEX Gravity-Feed Gun Only: 25D497 |
|                      | Max pressure psi      | 100   | 100   | 3000   | N/A  |
| PERFORMANCE          | Max flow HP lpm       | 9.5   | 21  | 8.0  | N/A  |
|                      | Motor                 | 1.7 HP  | 2.0 HP  | 4.0 HP   | 2.0  |
| COMPRESSOR           | Compressor Air Output | 6.1 cfm at 20 psi<br>.17 m³/min   | 9.1 cfm at 20 psi<br>.26 m³/min   | N/A  | 9.0 cfm at 40 psi<br>.25 m³/min  |
|                      |                       |   |   |  |  |
| INCLUDES             | Gun                   | Heavy-Duty Air Spray Trigger  | Heavy-Duty Air Spray Trigger  | Inline HD Texture Gun                                | FastFinish Pressure Boosted (Pro Model)<br>G-TEX Gravity-Feed (Standard Model)   |
|                      | Hose                  | 25.4 mm x 7.6 m   | 32 mm x 7.6 m HD  | 15m x 5/8" BlueMax™ II hose + 3.5 m x 3/8" whip hose | 3/8 in x 50 ft Non-Marking Air Hose (Standard and Pro Models)  |
|                      | Max Hose Length       | 23 m  | 30 m  | 30 m   | 46 m   |
|                      | Tips                  | 3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles<br>WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips | 3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles<br>WideTex Adapter with Hardened 4 mm 6 mm, 8 mm, 10 mm, 12 mm XL W tips | .045"  | 4 mm, 6 mm, 8 mm nozzles<br>WideTex Adapter with 4 mm, 6 mm, 8 mm tips   |
| DIMENSIONS           | Weight kg             | 32.6  | 73.9  | 78   | Air Compressor: 27<br>FastFinish Gun: 2.2<br>G-TEX Gun: 1.9  |
|                      | Hopper litre          | 57  | 57  | 94.6   | 5.7  |
| TYPICAL APPLICATIONS | Materials Sprayed     | Simulated acoustic and joint compound   | Simulated acoustic, joint compound, elastomerics, deck coatings, and some cement-based materials                            | Water-based materials, wall smoothing and finishing  | Acoustics, acrylics, joint compound, elastomeric, deck coatings, fireproofing, waterproofing, cement-based materials   |
|                      | Surfaces              | Residential and light commercial interiors  | Residential and commercial exteriors  | Residential and commercial interiors                 | Residential and commercial interiors and exteriors   |



## TexSpray T-MAX 6912

|                |                      |                     |
|----------------|----------------------|---------------------|
| SPECIFICATIONS | Maximum Tip Size     | 0.071               |
|                | Maximum pressure psi | 1000                |
|                | Maximum flow lpm     | 12                  |
|                | Motor/Engine         | 2.0 HP Brushless DC |
|                | Voltage              | 230V                |

| TYPE     |                        | 15 m Air-Assisted w/STX Gun and Hopper                                       | 30 m Air-Assisted w/STX Gun and Hopper                                       | 30 m Air-Assisted w/STX Gun, Mixer and Hopper                                |
|----------|------------------------|--|--|--|
| MODEL    | Part Number            | 17X987   | 17X994   | 17Z789   |
|          | T-MAX 6912 Pump Module |  |  |  |
| INCLUDES | Hopper                 | 95 L   | 95 L   | 95 L   |
|          | Gun                    | STX Air-Assist Texture Trigger Gun   | STX Air-Assist Texture Trigger Gun   | STX Air-Assist Texture Trigger Gun   |
|          | Hoses                  | 1 in x 15 m Material Hose<br>3/4 in x 3 m Whip Hose                          | 1 in x 30 m Material Hose<br>3/4 in x 3 m Whip Hose                          | 1 in x 30 m Material Hose<br>3/4 in x 3 m Whip Hose                          |
|          | Round Nozzles          | 4 mm, 6 mm, 8 mm,<br>10 mm, 12 mm  | 4 mm, 6 mm, 8 mm,<br>10 mm, 12 mm  | 4 mm, 6 mm, 8 mm,<br>10 mm, 12 mm  |
|          | Tip(s)                 | WideTex Adapter with 4 mm,<br>6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips | WideTex Adapter with 4 mm,<br>6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips | WideTex Adapter with 4 mm,<br>6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips |
|          | Misc.                  | —  | —  | CM20 Continuous Mixer  |



## TexSpray HTX 2030 Complete

| MODEL                    | Part Number   | 257369  |
|--------------------------|---|---|
| SPRAYER CONFIGURATIONS   | <b>For Spraying</b>   | For exterior aggregate and smooth finishes as well as common interior texture finishes, such as orange peel, splatter, knockdown, and simulated acoustic  |
|                          | <b>INCLUDES:</b>  |   |
|                          | <b>High-Output Piston Texture Pump</b>                                  |   |
|                          | <b>Texture Gun and 19 mm Hose</b>                                       | <ul style="list-style-type: none"> <li>• STX Trigger Gun and 15 m hose (26C681)</li> <li>• STX Trigger Gun and 30 m hose (26C682)</li> <li>• FreeFlo Inline Gun and 15 m hose (258740)</li> </ul> |
|                          | <b>20 L Suction Set</b>   |   |
|                          | <b>Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in, and 3/8 in Nozzles</b> |   |
|                          | <b>4, 6, 8, 10 mm Nozzles</b>   |   |
|                          | <b>RAC X LTX 671 Airless Tip</b>  |   |
|                          | <b>MaxLife Endurance High Pressure Airless Pump</b>                     | Optional<br>(Pump Kit 24B140)   |
|                          | <b>Maximum Tip Size</b>   | 0.071   |
| TECHNICAL SPECIFICATIONS | <b>Maximum lpm</b>  | 11  |
|                          | <b>Maximum bar</b>  | 70  |
|                          | <b>Honda Engine cc (HP at 3600 RPM)</b>                                 | 6.5   |
|                          | <b>Compressor</b>   | User-supplied air compressor required for some texture finishes. Minimum air compressor rating 708 lpm at 90 psifor best results  |
|                          | <b>Weight kg</b>  | 1000  |
|                          | <b>Intake</b>   | QuikAccess  |
|                          | <b>Rod</b>  | Hard Chrome   |
|                          | <b>Sleeve</b>   | Hard Chrome   |
|                          | <b>Packings</b>   | HD Poly   |
|                          |   |   |

|                |                       | Mark V HD  |  |
|----------------|-----------------------|--|--|
| SPECIFICATIONS | Maximum Tip Size      | 0.039  |  |
|                | Maximum pressure psi  | 3300   |  |
|                | Maximum flow lpm      | 5.1  |  |
|                | Motor/Engine HP       | MaxPower 2.8 Brushless DC  |  |
|                | Control               | SmartControl 3.0   |  |
|                | Weight kg             | 61   |  |
|                | Compressor Air Output | Compressor and Air Atomiser Kit required for some texture finishes |  |



| SERIES TYPE                |                   | STANDARD  | PROCONTRACTOR   | IRONMAN   |
|----------------------------|-------------------|---|---|---|
| MODEL                      | Part Number       | 17E657  | 17E663  | 17E629  |
| INCLUDES                   | BlueLink          |   |   |   |
|                            | Gun               | Heavy-Duty Blue Texture   | Heavy-Duty Blue Texture   | Heavy-Duty Blue Texture   |
|                            | Hose              | 9.5 mm x 15 m<br>BlueMax II Airless Hose  | 9.5 mm x 15 m<br>BlueMax II Airless Hose  | 9.5 mm x 15 m<br>BlueMax II Airless Hose  |
|                            | Tip(s)            | RAC X LTX 427 and 531   | RAC X LTX 427 and 531   | RAC X LTX 427 and 531   |
|                            | Filter            | 60 Mesh Easy Out  | 60 Mesh Easy Out  | 60 Mesh Easy Out  |
| PUMP                       | Type              | QuikChange System   | ProConnect 2  | ProConnect 2  |
|                            | Rod               | Chromex   | MaxLife w/ Vortex   | MaxLife Extreme w/ Vortex   |
|                            | Sleeve            | Hardened SST  | MaxLife   | MaxLife   |
|                            | MaxFlo 2          |   |   |   |
| ADDITIONAL SERIES FEATURES |                   | –   | QuikReel  | –   |
|                            |                   | FastFlush 2   | FastFlush 2   | FastFlush 2   |
|                            |                   | –   | –   | Flat Proof Tires  |
|                            |                   | WatchDog  | WatchDog  | WatchDog  |
|                            |                   | –   | Crushproof Inlet Strainer   | Crushproof Inlet Strainer   |
| MANUAL                     | Operation         | 3A6342  | 3A6342  | 3A6342  |
|                            | Parts             | 3A6342  | 3A6342  | 3A6342  |
| TYPICAL APPLICATIONS       | Materials Sprayed | Oil and water-based coatings, enamels, block-fillers, elastomerics, epoxies, joint compound, and other high-build materials | Oil and water-based coatings, enamels, block-fillers, elastomerics, epoxies, joint compound, and other high-build materials | Oil and water-based coatings, enamels, block-fillers, elastomerics, epoxies, joint compound, other high-build materials |
|                            | Surfaces          | Medium to large residential and commercial interiors and exteriors  | Medium to large residential and commercial interiors and exteriors  | Large commercial and industrial interiors and exteriors   |

|                |                       | GMAX II 5900 HD  |
|----------------|-----------------------|--|
| SPECIFICATIONS | Maximum Tip Size      | 0.043  |
|                | Maximum pressure psi  | 3300   |
|                | Maximum flow lpm      | 6.0  |
|                | Motor/Engine HP       | Honda 200 cc (6.5)   |
|                | Control               | SmartControl 3.0   |
|                | Weight kg             | 67   |
|                | Compressor Air Output | Compressor and Air Atomiser Kit required for some texture finishes |



|                |                       | GMAX II 7900 HD  |
|----------------|-----------------------|--|
| SPECIFICATIONS | Maximum Tip Size      | 0.048  |
|                | Maximum pressure psi  | 3300   |
|                | Maximum flow lpm      | 8.3  |
|                | Motor/Engine HP       | Honda 200 cc (6.5)   |
|                | Control               | SmartControl 3.0   |
|                | Weight kg             | 72   |
|                | Compressor Air Output | Compressor and Air Atomiser Kit required for some texture finishes |



| SERIES TYPE          |                           | STANDARD  | PROCONTRACTOR   |
|----------------------|---------------------------|---|---|
| MODEL                | Part Number               | 17E839  | 17E840  |
| INCLUDES             | Gun                       | Heavy-Duty Blue Texture   | Heavy-Duty Blue Texture   |
|                      | Hose                      | 9.5 mm x 15 m<br>BlueMax II Airless Hose  | 9.5 mm x 15 m<br>BlueMax II Airless Hose  |
|                      | Tip(s)                    | RAC X LTX 427 and 531   | RAC X LTX 427 and 531   |
|                      | Filter                    | 60 Mesh Easy Out  | 60 Mesh Easy Out  |
| PUMP                 | Type                      | QuikChange System   | ProConnect 2  |
|                      | Rod                       | Chromex   | MaxLife w/Vortex  |
|                      | Sleeve                    | Hardened SST  | MaxLife   |
|                      | MaxFlo 2                  |   |   |
|                      | QuickReel                 |   |   |
|                      | Crushproof Inlet Strainer |   |   |
|                      | LED Display               |   |   |
|                      | WatchDog                  |   |   |
|                      | Flat Proof Tires          |   |   |
| TYPICAL APPLICATIONS | Materials Sprayed         | Oil and water-based coatings, enamels, block-fillers, elastomerics, epoxies, joint compound, other high-build materials | Oil and water-based coatings, enamels, block-fillers, elastomerics, epoxies, joint compound, other high-build materials |
|                      | Surfaces                  | Medium to large residential and commercial interiors and exteriors  | Medium to large residential and commercial interiors and exteriors  |

| STANDARD  | PROCONTRACTOR   | IRONMAN   |
|---|---|---|
| 17E841  | 17E842  | 17E843  |
| Heavy-Duty Blue Texture   | Heavy-Duty Blue Texture   | Heavy-Duty Blue Texture   |
| 9.5 mm x 15 m<br>BlueMax II Airless Hose  | 9.5 mm x 15 m<br>BlueMax II Airless Hose  | 9.5 mm x 15 m<br>BlueMax II Airless Hose  |
| RAC X LTX 427 and 531   | RAC X LTX 427 and 531   | RAC X LTX 427 and 531   |
| 60 Mesh Easy Out  | 60 Mesh Easy Out  | 60 Mesh Easy Out  |
| QuikChange System   | ProConnect 2  | ProConnect 2  |
| MaxLife   | MaxLife w/Vortex  | MaxLife Extreme w/Vortex  |
| MaxLife   | MaxLife   | MaxLife   |
|   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |
| Oil and water-based coatings, enamels, block-fillers, elastomerics, epoxies, joint compound, other high-build materials | Oil and water-based coatings, enamels, block-fillers, elastomerics, epoxies, joint compound, other high-build materials | Oil and water-based coatings, enamels, block-fillers, elastomerics, epoxies, plasterboard mud, other high-build materials |
| Large residential and commercial interiors and exteriors  | Large residential and commercial interiors and exteriors  | Large commercial and industrial interiors and exteriors   |

## DutyMax GH 230 HD Convertible

|                |                       |  |
|----------------|-----------------------|--|
| SPECIFICATIONS | Maximum Tip Size      | 0.053  |
|                | Maximum pressure psi  | 3300   |
|                | Maximum flow lpm      | 8.9 Gas Engine / 4.2 Electric Motor                                |
|                | Motor/Engine HP       | Honda 200 cc (6.5)   |
|                | Control               | —  |
|                | Weight kg             | 92   |
|                | Compressor Air Output | Compressor and Air Atomiser Kit required for some texture finishes |

## DutyMax GH 300 HD

|  |
|--|
| 0.057  |
| 3300   |
| 11.4   |
| Honda 270 cc (9.0)   |
| —  |
| 99   |
| Compressor and Air Atomiser Kit required for some texture finishes |



| SERIES TYPE          |                           | STANDARD  | PROCONTRACTOR   |
|----------------------|---------------------------|---|---|
| MODEL                | Part Number               | 24W943  | 24W962  |
|                      |                           |   |   |
| INCLUDES             | Gun                       | Heavy-Duty Blue Texture   | Heavy-Duty Blue Texture   |
|                      | Hose                      | 9.5 mm x 15 m<br>BlueMax II Airless Hose<br>6.4 mm x 0.9 m<br>BlueMax II Whip Hose  | 9.5 mm x 30 m<br>BlueMax II Airless Hose<br>6.4 mm x 0.9 m<br>BlueMax II Whip Hose  |
|                      | Tip(s)                    | RAC X LTX 427 and 531   | RAC X LTX 427 and 531   |
|                      | Filter                    | 60 Mesh Easy Out  | 60 Mesh Easy Out  |
| PUMP                 | Type                      | QuikChange System   | ProConnect 2  |
|                      | Rod                       | Hard Chrome   | Hard Chrome   |
|                      | Sleeve                    | Hardened SST  | MaxLife   |
|                      | MaxFlo                    |   |   |
|                      | QuickReel                 |   |   |
|                      | Crushproof inlet Strainer |   |   |
| TYPICAL APPLICATIONS | Materials Sprayed         | Oil and water-based coatings, enamels, block-fillers, elastomers, epoxies, joint compound, and other high-build materials | Oil and water-based coatings, enamels, block-fillers, elastomers, epoxies, joint compound, and other high-build materials |
|                      | Surfaces                  | Medium to large residential and commercial interiors and exteriors  | Medium to large residential and commercial interiors and exteriors  |

| STANDARD  | PROCONTRACTOR   |
|---|---|
| 24W967  | 24W968  |
| Inline Heavy-Duty Texture   | Inline Heavy-Duty Texture   |
| 13 mm x 15 m<br>BlueMax II Airless Hose<br>9.5 mm x 3.7 m<br>BlueMax II Whip Hose   | 13 mm x 30 m<br>BlueMax II Airless Hose<br>9.5 mm x 3.7 m<br>BlueMax II Whip Hose   |
| RAC X LTX 643 and WideRAC 1239  | RAC X LTX 643 and WideRAC 1239  |
| 60 Mesh Easy Out  | 60 Mesh Easy Out  |
| QuikChange System   | ProConnect 2  |
| Hard Chrome   | Hard Chrome   |
| Hardened SST  | MaxLife   |
|   |   |
|   |   |
|   |   |
| Oil and water-based coatings, enamels, block-fillers, elastomers, epoxies, joint compound, and other high-build materials | Oil and water-based coatings, enamels, block-fillers, elastomers, epoxies, joint compound, and other high-build materials |
| Medium to large residential and commercial interiors and exteriors  | Medium to large residential and commercial interiors and exteriors  |



|                |                 | POWERFILL 3.5<br>STANDARD SERIES   | POWERFILL 3.5 PRO<br>SERIES  | POWERFILL 3.5 XL<br>PRO SERIES   |
|----------------|-----------------|--|--|--|
| SPECIFICATIONS | Part Number     | 26B442   | 26B443   | 26B444   |
|                | Max flow lpm    | 13.2   | 13.2   | 13.2   |
|                | Weight Kg       | 6.8  | 7.7  | 9.1  |
|                | Pump            | PowerStroke  | PowerStroke  | PowerStroke  |
|                | Power/Battery   | (1) DeWALT 20V MAX* COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger | (1) DeWALT 20V MAX* COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger | (1) DeWALT 20V MAX* COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger |
|                | Pump Outlet     | Fixed Horizontal w/Box Filler  | Hi-Rise Fill Tube w/Box Filler   | Hi-Rise Fill Tube w/Box Filler   |
|                | Precision Fill  | No   | Yes  | Yes  |
|                | Inlet Filter    | Tool-less, 10 Mesh (1)   | Tool-less, 10 Mesh (1)   | Tool-less, 10 Mesh (1)   |
|                | Adjustable Flow | Yes  | Yes  | Yes  |
|                | Fits Container  | Adjustable up to 20 L<br>(18-38 cm Bucket Height Range)                  | Adjustable up to 20 L<br>(18-38 cm Bucket Height Range)                  | Adjustable up to 20 L thru 100 L<br>(18-70 cm Bucket Range)              |

\*With respect to 20v MAX, maximum initial battery voltage (measured without workload), is 20 volts. Nominal is 18 volts.





## **ABOUT GRACO**

**Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.**

**The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coatings, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.**

**AUSTRALIA**  
Graco Australia Pty Ltd.  
Suite 17, 2 Enterprise Drive  
Bundoora, Victoria 3083  
Australia  
Tel: 61 3 9468 8500  
Fax: 61 3 9468 8599  
NZ Toll Free Number: 0800 472 261

344382ENAP-E©2021 Graco Australia 07/21. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. For more information on Graco's intellectual property, see [www.graco.com/patent](http://www.graco.com/patent) or [www.graco.com/trademarks](http://www.graco.com/trademarks)